
Oregon Map Base - 1:1000 feet



Aerial and Hand Spray Plan

Chemicals to be used singly or in combination:

Glyphosate
Sulfometuron methyl
Metsulfuron methyl
Imazapyr
Hexazinone
Clopyralid
Atrizine
Triclopyr Ester + Amine
Non-ionic surfactant
Oil surfactant

A mino pyra /id
Other

WRITTEN PLAN

All chemical application rules specified in the Oregon Forest Practices
Act will be adhered to. A buffer strip parallel to each fish bearing or
domestic stream will be left to protect water from the direct application
of chemicals. Protected resources will be reviewed with the applicator
prior to application. A Company Forester will be nearby to monitor weather.
Additional Mitigating Measures:

Hardwoods left by logging within the Riparian Zone will not be targeted for treatment.

The helicopter used for applying herbicides to Roseburg Resources plantations will be equipped with and may implement a unique half boom shutoff system which can limit the swath width to approximately 25 feet, and will more accurately align the swath edge under the center of the helicopter while reducing drift. This system will be implemented in areas where site and environmental conditions (terrain, weather, RMA

width, etc.) dictate the need for additional protection measures.

Application will comply with all regulations pertaining to seasonal and temporal restrictions around the identified wildlife resource site.

No hand application will occur within 10' of the aquatic area of the identified stream.

and aware C Representative

11/20/14 date LEGEND

Treatment Area

Type F/D Streams XXXXXXXXX

14 plant